154 CUTTHROAT SEEP

(southern ridge) 154XY007FL

The 154 Cutthroat Seep range site consists of nearly level, poorly drained areas, or may occur as depressed, poorly drained areas. The soil mapping units in this site include:

ONA IMMOKALEE BASINGER ST. JOHNS MYAKKA

LANDSCAPE

Elevation range: 30 to 110 feet Slope range: 0% to 2%

RANGE SITE DESCRIPTION

This site can be easily recognized by its associated position to better drained sites and its dominance of Cutthroat Grass. In excellent range condition Cutthroat Grass will be found in association with Chalky Bluestem, Creeping Bluestem, and Toothachegrass. In poor or fair condition Saw Palmetto and Wiregrass begin to dominate this site.

GROUND COVER AND STRUCTURE

% 0	anopy Cove	r Average	% Basal Area
(ve	ertical vie	w) Height (F	cover
Grasses/Grasslikes	70	0.80	45
Forbs	5	0.50	1
Cryptogams	0	0.00	0
Shrubs	3	5.00	1
Trees	8	35.00	1

PLANT COMMUNITY COMPOSITION

National	Common		%Composition	Group%
Symbol	Name	Grp	by weight	Allowable
	•••••			• • • • • • • • • • • • • • • • • • • •
PAAB	CUTTHROAT GRASS	1	80	35
ANVIG2	CHALKY BLUESTEM	1	80	100
SCST2	CREEPING BLUESTEM	1	80	100
CTAR	TOOTHACE GRASS	1	80	100
PANIC2	LOW PANICUM	2	10	10
PAAN	BEAKED PANICUM	2	10	10
PASPA	LOW PASPALUM	2	10	10
ARST5	PINELAND THREEAWN	2	10	5
CAREX		2	10	5
				• • • • • • • • • • • • • • • • • • • •
LIATR	GAYFEATHERS	3	5	5
CAPA53	DEERTONGUE	3	5	5
DEL12	BEGGARWEED	3	5	5
LEGUM	PERENNIAL LEGUMES	3	5	5
LACA5	REDROOT	3	5	5
AAFF	ANNUAL FORBS	4	1	0
ELTI	ELEPHANT'S FOOT	4	1	0
EUCA5	DOG FENNEL	4	1	0
	•••••			
SERE2	SAW PALMETTO	5	5	5
GADU	DWARF HUCKLEBERRY	5	5	5
MYCE	WAXMYRTLE	6	1	0
LILU3	FETTERBUSH LYONIA	6	1	0
ILGL	GALLBERRY	6	1	0
HYFA	ST JOHN'S WORT	6	1	0

PRODUCTION

Grasses and grasslikes: 80 to 90% of total

Forbs:

0 to 5% of total

Shrubs:

0 to 2 % of total

Trees:

0 to 3% of total

TOTAL ANNUAL PRODUCTION (EXCELLENT CONDITION)

Favorable 7000 to 9000

Average 6000 to 7000

Unfavorable 3000 to 6000

LIVESTOCK DATA ESTIMATED STOCKING RATE

Excellent

4 to 7 AC/AU

Good

6 to 12 AC/AU

Fair

11 to 17 AC/AU

Poor

16 to 24 AC/AU

WILDLIFE SPECIES LIST:

Bobcat, Cottontail Rabbit, Deer, Raccoon, Skunk, Opossum, Woodpeckers, Pygmy Rattlesnake, Yellow Ratsnake

E or T Species that might be nearby include, Florida Panther, Southeastern Kestrel, Red-Cockaded Woodpecker, Florida Sandhill Crane, Bald Eagle, Eastern Indigo Snake

RANGE SITE DEGRADATION:

In poor or fair range condition, Saw Palmetto, Waxmyrtle, and Aristida species will dominate this site.